

# DATASHEET

## AIR ASCENT BLACK



### GENERAL

Art.Nr:	G-1182-XS/S	Standards:	EN 12277:2015/C+A1:2018, EN 361:2002
GTIN:	8056734833140	Net weight:	0.94 kg
Customs tariff number:	63079098	Gross weight:	0.94 kg

## DATASHEET

### AIR ASCENT BLACK

This rescue harness is specially designed for use in hazardous environments or areas with difficult access. It consists of a waist belt and a chest belt, which are connected to each other by a connecting element.

The chest harness features a practical double buckle fastening system and comfortable back padding. The shoulder straps can be individually adjusted using self-locking buckles. A sternal attachment point in accordance with EN 361 made from webbing straps ensures safety and also minimizes the space required when not in use. The connection to the waist belt is adjustable and equipped with a triplex carabiner.

The hip belt offers optimum lumbar support thanks to its robust, ergonomic shape. The inside is equipped with breathable mesh, which enables quick drying. Four adjustment buckles ensure a precise fit. The harness also has four generously sized material carriers and two mounts for carabiners or other accessories.

#### FEATURES

Colour:	Black
Attachment points:	Sternal polyester attachment point, Restraint aluminium attachment point
Number of material loops 15 kg:	4
Harness features:	Webbing rewind, Adjustable leg loop fixation
Hand wash:	40 °C
Maximum lifetime:	10 years
Minimum body height:	160 cm
Maximum body height:	175 cm
Minimum hip size:	65 cm
Maximum hip size:	75 cm
Minimum leg size:	50 cm
Maximum leg size:	60 cm
Minimum temperature:	-20 °C
Maximum temperature:	60 °C
Padding:	Leg paddings
Buckles:	stick_buckle
Adjusting buckles:	Adjusting buckles legs, Adjusting buckles hips, Adjusting buckles shoulders

#### DIMENSIONS

Size:	S
-------	---

#### MATERIAL

# DATASHEET

## AIR ASCENT BLACK

Material:

Polyester, Aluminium,  
Polyamide

---